
Veterinary Isolates


Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



157

Veterinary Isolates


Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



8/4

32/16

>32/16



<=0.5/0.25


1/0.5


2/1

4/2

Minimum Inhibitory Concentration


Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Veterinary Isolates

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)



160

Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)




Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)





Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)







Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)







Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)






Fig. 23. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)

